PRO-BOND 201F Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/GREECE Issue date: 01/08/2026 Revision date: - Supersedes version: -

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Product form:	Mixture
Product name:	PRO-BOND 201F Comp. B
UFI:	F520-W0H9-1002-CC2X

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec:	Industrial For professional use only.

1.3. Details of the supplier of the safety data sheet

NAVIC
27B1, Polidefkous St.
185 45 Piraeus
Greece.

Tel: +30 210 4225 145
www.navic-chemicals.com

1.4. Emergency telephone number

Emergency number:	+30 210 7793 777 - (National Poison Helpline, GREECE)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4:	H302
Skin corrosion/irritation, Category 1, Sub-Category 1B:	H314
Skin sensitisation, Category 1:	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3:	H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):

GHS05 GHS07

Signal word (CLP):	Danger
Contains:	Benzyl alcohol; 3-Aminomethyl-3,5,5-trimethylcyclohexylamine ; Isophorone diamine; 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine; Phenol, polymer with formaldehyde; m-Phenylenebis(methylamine); Polyoxypropylen Diamiine; 3-Cyclohexylaminopropylamine.
Hazard statements (CLP):	H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP):	P280 - Wear protective gloves, face protection, eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER. P273 - Avoid release to the environment. P501 - Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1%.

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.	m-Phenylenebis(methylamine) (1477-55-0).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38	< 18	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319

Formaldehyde, polymer with 1,3-benzenedimethanamine and phenol	CAS-No.: 57214-10-5 EC-No.: 500-137-0	< 2.8	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenol, polymer with formaldehyde	CAS-No.: 9003-35-4 EC-No.: 500-005-2	< 2.8	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
m-Phenylenebis(methylamine)	CAS-No.: 1477-55-0 EC-No.: 216-032-5	< 2.8	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Polyoxypropylen Diamiine	CAS-No.: 9046-10-0	< 1.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
3-Cyclohexylaminopropylamine	CAS-No.: 3312-60-5 EC-No.: 222-001-7	< 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	CAS-No.: 38294-64-3 EC-No.: 500-101-4	< 12	Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
3-aminomethyl-3,5,5-trimethylcyclohexylamine	CAS-No.: 2855-13-2 EC-No.: 220-666-8 EC Index-No.: 612-067-00-9	< 12	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
3-Aminomethyl-3,5,5-trimethylcyclohexylamine ; Isophorone diamine	CAS-No.: 2855-13-2 EC-No.: 220-666-8 EC Index-No.: 612-067-00-9	(0.001 ≤ C ≤ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact:	Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. Wash with plenty of water/…. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion:	Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects:	Causes severe skin burns and eye damage.
Symptoms/effects after inhalation:	May cause an allergic skin reaction.
Symptoms/effects after ingestion:	Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available.

5.3. Advice for firefighters

Firefighting instructions:	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting:	Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures: Comply with applicable regulations.

Storage conditions: Keep only in the original container in a cool, well-ventilated place away from: Acids. Keep container closed when not in use.

Incompatible products: Strong acids.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available.

8.2. Exposure controls

Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):

Eye and face protection

Eye protection: Chemical goggles or face shield.

Skin protection

Skin and body protection: Wear suitable protective clothing.

Hand protection:	Wear protective gloves.

Respiratory protection

Respiratory protection:	Wear appropriate mask.

Environmental exposure controls

Other information:	Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Light brown.
Odour	Characteristic.
Odour threshold	Not available.
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not available.
Flammability	Non-flammable.
Lower explosion limit	Not available.
Upper explosion limit	Not available.
Flash point	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
pH	Not available.
Viscosity, kinematic	Not available.
Solubility	Not available.
Partition coefficient n-octanol/water (Log Kow)	Not available.
Vapour pressure	Not available.
Vapour pressure at 50 °C	Not available.
Density	Not available.
Relative density	Not available.
Relative vapour density at 20 °C	Not available.
Particle characteristics	Not applicable.

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

No data available. .

10.5. Incompatible materials

Metals. Oxidizing agent. Strong acids. Peroxides.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapours. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Harmful if swallowed.
Acute toxicity (dermal): Not classified.
Acute toxicity (inhalation): Not classified.

PRO-BOND 201F Comp. B	
ATE CLP (oral)	1,396.258 mg/kg bodyweight.

benzyl alcohol (100-51-6)	
LD50 oral rat	1,620 mg/kg bodyweight.
LD50 oral	1,580 mg/kg bodyweight. Animal: Mouse. Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 – 1770.
LD50 dermal rat	2,000 mg/kg.
LD50 dermal rabbit	> 2,000 mg/kg bodyweight. Animal: rabbit. Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity).
LC50 Inhalation - Rat	> 4.178 mg/l air. Animal: Rat. Guideline: OECD Guideline 403 (Acute Inhalation Toxicity).
LC50 Inhalation - Rat (Vapours)	> 4.178 mg/l.

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
LD50 oral rat	1,030 mg/kg bodyweight.
LD50 dermal rat	> 2000 mg/kg bodyweight. Animal: Rat. Guideline: OECD Guideline 402 (Acute Dermal Toxicity).

Phenol, polymer with formaldehyde (9003-35-4)	
LD50 oral rat	> 5,000 mg/kg.
LD50 dermal rat	> 2000 mg/kg bodyweight. Animal: Rat. Guideline: Other.
LC50 Inhalation - Rat	> 5 mg/l air. Animal: Rat. Guideline: Other.

Polyoxypropylen Diamiine (9046-10-0)	
LD50 oral rat	242 mg/kg. Source: National Library of Medicine.
LD50 dermal rabbit	360 mg/kg. Source: National Library of Medicine.

3-Cyclohexylaminopropylamine (3312-60-5)	
LD50 oral rat	200 – 237 mg/kg. Source: ECHA.
LD50 dermal rabbit	632 – 2,000 mg/kg. Source: ECHA.

Skin corrosion/irritation: Causes severe skin burns.

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (38294-64-3)	
pH	7. Source: ECHA Chem.

Polyoxypropylen Diamiine (9046-10-0)	
pH	12.3

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified.

Additional information: Based on available data, the classification criteria are not met.

Carcinogenicity: Not classified.

Additional information: Based on available data, the classification criteria are not met.

Reproductive toxicity Not classified.

Additional information: Based on available data, the classification criteria are not met.

STOT-single exposure: Not classified.

Additional information: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Not classified.

Additional information: Based on available data, the classification criteria are not met.

benzyl alcohol (100-51-6)	
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight/day.

3-Aminomethyl-3,5,5-trimethylcyclohexylamine ; Isophorone diamine (2855-13-2)	
LOAEL (oral, rat, 90 days)	160 mg/kg bodyweight. Animal: Rat. Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents).

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (38294-64-3)	
LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight. Animal: Rat. Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents). Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents).
NOAEL (oral, rat, 90 days)	10 mg/kg bodyweight. Animal: Rat. Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents). Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents).

Phenol, polymer with formaldehyde (9003-35-4)	
NOAEL (oral, rat, 90 days)	1,000 mg/kg bodyweight. Animal: Rat. Guideline: Other.

Aspiration hazard: Not classified.

Additional information: Based on available data, the classification criteria are not met.

benzyl alcohol (100-51-6)	
Viscosity, kinematic	4.851 mm²/s.

3-Aminomethyl-3,5,5-trimethylcyclohexylamine ; Isophorone diamine (2855-13-2)	
Viscosity, kinematic	19 mm²/s. Temp.: 'other'. Parameter: 'kinematic viscosity (in mm²/s)'.

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short–term (acute): Not classified.
Hazardous to the aquatic environment, long–term (chronic): Harmful to aquatic life with long lasting effects.

Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l LC50 96 h - fish [mg/l]
EC50 - Crustacea [1]	230 mg/l. Test organisms (species): Daphnia magna.
EC50 72h - Algae [1]	770 mg/l
EC50 72h - Algae [2]	500 mg/l. Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum).
EC50 96h - Algae [1]	76.828 mg/l Test organisms (species): other.
NOEC chronic fish	48.897 mg/l. Test organisms (species): other. Duration: '30 d'.

3-Aminomethyl-3,5,5-trimethylcyclohexylamine ; Isophorone diamine (2855-13-2)	
LC50 - Fish [1]	110 mg/l LC50 96 h fish
EC50 - Crustacea [1]	17.4 mg/l
EC50 72h - Algae [1]	50 mg/l
EC50 72h - Algae [2]	> 50 mg/l. Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus).
LOEC (chronic)	10 mg/l. Test organisms (species): Daphnia magna Duration: '21 d'.
NOEC (chronic)	3 mg/l. Test organisms (species): Daphnia magna Duration: '21 d'.

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (38294-64-3)	
LC50 - Fish [1]	70.7 mg/l LC50 96h fish
EC50 72h - Algae [1]	79.4 mg/l

Polyoxypropylen Diamiine (9046-10-0)	
EC50 - Crustacea [1]	80 mg/l. Test organisms (species): Daphnia magna.
EC50 72h - Algae [1]	15 mg/l. Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum).

EC50 72h - Algae [2]	2.1 mg/l. Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum).

3-Cyclohexylaminopropylamine (3312-60-5)	
LC50 - Fish [1]	76.469 mg/l. Source: ECOSAR.
EC50 - Crustacea [1]	17.1 mg/l. Source: ECHA.
EC50 72h - Algae [1]	3.63 mg/l. Source: ECHA.
EC50 72h - Algae [2]	3.63 mg/l. Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

PRO-BOND 201F Comp. B	
Persistence and degradability	May cause long-term adverse effects in the environment.

Benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly degradable.

3-Aminomethyl-3,5,5-trimethylcyclohexylamine ; Isophorone diamine (2855-13-2)	
Persistence and degradability	Rapidly degradable.

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (38294-64-3)	
Persistence and degradability	Rapidly degradable.

Formaldehyde, polymer with 1,3-benzenedimethanamine and phenol (57214-10-5)	
Persistence and degradability	Rapidly degradable.

Phenol, polymer with formaldehyde (9003-35-4)	
Persistence and degradability	Rapidly degradable.

m-Phenylenebis(methylamine) (1477-55-0)	
Persistence and degradability	Rapidly degradable.

Polyoxypropylen Diamiine (9046-10-0)	
Persistence and degradability	Rapidly degradable.

3-Cyclohexylaminopropylamine (3312-60-5)	
Persistence and degradability	Rapidly degradable.

12.3. Bioaccumulative potential

PRO-BOND 201F Comp. B	
Bioaccumulative potential	Not established.

Benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1.

3-Aminomethyl-3,5,5-trimethylcyclohexylamine ; Isophorone diamine (2855-13-2)	
Partition coefficient n-octanol/water (Log Pow)	1.9.

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (38294-64-3)	
Partition coefficient n-octanol/water (Log Pow)	3.6. Source: ECHA Chem.

3-Cyclohexylaminopropylamine (3312-60-5)	
Partition coefficient n-octanol/water (Log Pow)	0.73. Source: ECHA Chem.

12.4. Mobility in soil

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (38294-64-3)	
Mobility in soil	> 398,107. Source: ECHA Chem.

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Endocrine disrupting properties

No additional information available.

12.7. Other adverse effects

PRO-BOND 201F Comp. B	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecological waste information: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID.

14.1. UN number or ID number

UN-No. (ADR): UN 2735.

UN-No. (IMDG): UN 2735.

UN-No. (IATA): UN 2735.

UN-No. (ADN): Not regulated.

UN-No. (RID): Not regulated.

14.2. UN proper shipping name

Proper Shipping Name (ADR): AMINES, LIQUID, CORROSIVE, N.O.S.

Proper Shipping Name (IMDG): AMINES, LIQUID, CORROSIVE, N.O.S.

Proper Shipping Name (IATA): Amines, liquid, corrosive, n.o.s.

Proper Shipping Name (ADN): Not regulated.

Proper Shipping Name (RID): Not regulated.

Transport document description (ADR): UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, III, (E).

Transport document description (IMDG): UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, III.

Transport document description (IATA): UN 2735 Amines, liquid, corrosive, n.o.s., 8, III.

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR): 8

Danger labels (ADR): 8

IMDG

Transport hazard class(es) (IMDG): 8

Danger labels (IMDG): 8

IATA

Transport hazard class(es) (IATA): 8
Danger labels (IATA): 8

ADN

Transport hazard class(es) (ADN): Not regulated.

RID

Transport hazard class(es) (RID): Not regulated.

14.4. Packing group

Packing group (ADR):	III
Packing group (IMDG):	III
Packing group (IATA):	III
Packing group (ADN):	Not regulated.
Packing group (RID):	Not regulated.

14.5. Environmental hazards

Dangerous for the environment:	No.
Marine pollutant:	No.
EmS-No. (Fire):	F-A.
EmS-No. (Spillage):	S-B.
Other information:	No supplementary information available.

14.6. Special precautions for user

Overland transport

Classification code (ADR):	C7
Special provisions (ADR):	274
Limited quantities (ADR):	5l
Excepted quantities (ADR):	E1
Packing instructions (ADR):	P001, IBC03, LP01, R001
Mixed packing provisions (ADR):	MP19
Transport category (ADR):	3
Special provisions for carriage - Packages (ADR):	V12
Hazard identification number (Kemler No.):	80
Orange plates:	
Tunnel restriction code (ADR):	E

Transport by sea

Special provisions (IMDG):	223, 274
Limited quantities (IMDG):	5 L
Excepted quantities (IMDG):	E1
Packing instructions (IMDG):	P001, LP01
IBC packing instructions (IMDG):	IBC03
Stowage category (IMDG):	A

Segregation (IMDG):	SGG18, SG35
Properties and observations (IMDG):	Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA):	E1
PCA Limited quantities (IATA):	Y841
PCA limited quantity max net quantity (IATA):	1 L
PCA packing instructions (IATA):	852
PCA max net quantity (IATA):	5 L
CAO packing instructions (IATA):	856
CAO max net quantity (IATA):	60 L
Special provisions (IATA):	A3, A803
ERG code (IATA):	8 L

Inland waterway transport

Not regulated.

Rail transport

Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)
Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).
REACH Annex XIV (Authorisation List)
Contains no substance(s) listed on REACH Annex XIV (Authorisation List).
REACH Candidate List (SVHC)
Contains no substance on the REACH Candidate List.
PIC Regulation (Prior Informed Consent)
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).
POP Regulation (Persistent Organic Pollutants)
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).
Ozone Regulation (2024/590)
Not listed on the Ozone Depletion list (Regulation EU 2024/590).
Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer).
Council Regulation (EC) for the control of dual-use items
Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items.
Explosives Precursors Regulation (2019/1148)
Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).
Drug Precursors Regulation (273/2004)
Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information: None.

Full text of H- and EUH- statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation: Vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, Category 1A
Skin Sens. 1B	Skin sensitisation, Category 1B
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU.
Region, GR.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage caused to the buyer, applicator or any third party as a result of using our product. Such buyers, applicators and end users assume all risks associated with the use of our product.