

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Mixture
Product name: PRO-CLEAN X

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category: Professional use.
Industrial/Professional use spec: Industrial - For professional use only.
Use of the substance/mixture: Substrate cleaner for oily / greasy residues.

1.2.2. Uses advised against

Restrictions on use: The product is not recommended for any industrial, professional or consumer use other than the identified uses above.

1.3. Details of the supplier of the safety data sheet

NAVIC

27B1, Polidefkous St.
185 45 Piraeus
Greece.

Tel: +30 210 4225 145
www.navic-chemicals.com

1.4. Emergency telephone number

Emergency number: +30 210 7793 777 - (National Poison Helpline)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3:	H226
Acute toxicity (dermal), Category 4:	H312
Acute toxicity (inhalation:vapour) Category 4:	H332
Skin corrosion/irritation, Category 2:	H315
Serious eye damage/eye irritation, Category 2:	H319
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation:	H335
Specific target organ toxicity – Repeated exposure, Category 2:	H373
Aspiration hazard, Category 1:	H304

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



Signal word (CLP):

Danger

Contains:

Reaction mass of ethylbenzene and m-xylene and p-xylene.

Hazard statements (CLP):

H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H312+H332 - Harmful in contact with skin or if inhaled.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP):

P260 - Do not breathe vapours.
P280 - Wear protective gloves, face protection, eye protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.
P271 - Use only outdoors or in a well-ventilated area.
P501 - Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Reaction mass of ethylbenzene and m-xylene and p-xylene	EC-No.: 905-562-9 REACH-no: 01-2119488216-32	≥ 90	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304.
n-butyl acetate	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1	< 5	Flam. Liq. 3, H226 STOT SE 3, H336

	REACH-no: 01-2119485493-29		
--	----------------------------	--	--

Comments: If REACH registration numbers do not appear, the substance is either exempt from registration or does not meet the minimum volume threshold for registration.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact:	Take off immediately all contaminated clothing. Wash with plenty of water and soap. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion:	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects:	Causes damage to organs.
Symptoms/effects after inhalation:	Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact:	Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact:	Causes serious eye irritation.
Symptoms/effects after ingestion:	May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard:	Flammable liquid and vapour.
Explosion hazard:	May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions:	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
----------------------------	---

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Avoid breathing vapours.

Hygiene measures: Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions: Keep only in the original container in a cool, well ventilated place away from heat sources. Keep container tightly closed.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Reaction mass of ethylbenzene and m-xylene and p-xylene	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	442 mg/m ³
Acute - local effects, inhalation	293 mg/m ³
Long-term - systemic effects, dermal	180 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	77 mg/m ³
Long-term - local effects, inhalation	221 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	260 mg/m ³
Acute - local effects, inhalation	260 mg/m ³
Long-term - systemic effects, oral	1,6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	15 mg/m ³
Long-term - systemic effects, dermal	125 mg/kg bodyweight/day
Long-term - local effects, inhalation	65,3 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	44 µg/L
PNEC aqua (marine water)	4,4 µg/L
PNEC (Sediment)	
PNEC sediment (freshwater)	2,52 mg/kg dwt
PNEC sediment (marine water)	252 µg/kg dw
PNEC (Soil)	
PNEC soil	852 µg/kg dw
PNEC (STP)	
PNEC sewage treatment plant	1,6 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment symbol(s):

Avoid all unnecessary exposure.



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Personal protective equipment for the body and appropriate footwear should be selected depending on the task being performed and possible exposure.

Hand protection:

Suitable materials for safety gloves (EN 374): Butyl rubber, Nitrile rubber, neoprene rubber. For prolonged or repeated exposure, gloves of class 5 or higher are recommended (breakthrough time >240min according to EN374). For short time use, gloves of class 3 or higher are recommended (breakthrough time >60min according to EN374). The thickness of gloves should be >0.35mm in order to provide adequate protection for prolonged contact with the product.

8.2.2.3. Respiratory protection

Respiratory protection:

If concentration of one or more substances present in the product exceeds the exposure limit, use respiratory protective device (refer to EN 529).

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colourless.
Odour	Aromatic.
Odour threshold	No data available.
Ph	Not applicable, product is solvent-based.
Relative evaporation rate (butylacetate=1)	No data available.
Melting point	No data available.
Freezing point	No data available.
Boiling point	No data available.
Flash point	27 °C.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Flammability (solid, gas)	Flammable liquid and vapour.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

Vapour pressure	No data available.
Relative vapour density at 20°C	No data available.
Relative density	No data available.
Density	0,8 – 0,9 g/cm ³
Solubility	No data available.
Partition coefficient n-octanol/water (Log Pow)	No data available.
Viscosity, kinematic	< 20,5 mm ² /s.
Viscosity, dynamic	No data available.
Explosive properties	Not applicable, product is not explosive.
Oxidising properties	Not applicable, product is not oxidising.
Explosive limits	No data available.

9.2. Other information

VOC content: 100%.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral):	Not classified (Based on available data, the classification criteria are not met).
Acute toxicity (dermal):	Harmful in contact with skin.
Acute toxicity (inhalation):	Harmful if inhaled.

PRO-CLEAN X	
ATE CLP (dermal)	1157,895 mg/kg bodyweight
ATE CLP (vapours)	11,579 mg/l/4h

Reaction mass of ethylbenzene and m-xylene and p-xylene	
LD50 oral rat	3523 mg/kg
LD50 dermal rabbit	12126 mg/kg
LC50 Inhalation - Rat (Vapours)	27124 mg/l/4h

Skin corrosion/irritation:	Causes skin irritation. pH: Not applicable, product is solvent-based.
Serious eye damage/irritation:	Causes serious eye irritation. pH: Not applicable, product is solvent-based.
Respiratory or skin sensitisation:	Not classified.
Additional information:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Not classified.
Additional information:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Not classified.
Additional information:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Not classified.
Additional information:	Based on available data, the classification criteria are not met.
STOT-single exposure:	May cause respiratory irritation.

oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)	
STOT-single exposure:	May cause drowsiness or dizziness.

Reaction mass of ethylbenzene and m-xylene and p-xylene	
STOT-single exposure:	May cause respiratory irritation.
STOT-repeated exposure:	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard:	May be fatal if swallowed and enters airways.

PRO-CLEAN X	
Viscosity, kinematic:	< 20,5 mm ² /s.
Potential adverse human health effects and symptoms:	Harmful in contact with skin, Harmful if inhaled.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute):	Not classified.
Hazardous to the aquatic environment, long-term (chronic):	Not classified.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

n-butyl acetate (123-86-4)	
LC50 - Fish [1]	18 mg/l LC50 96h fish

Reaction mass of ethylbenzene and m-xylene and p-xylene	
LC50 - Fish [1]	2.6 mg/l LC50 96h fish
NOEC chronic fish	1.29 mg/l

12.2. Persistence and degradability

PRO-CLEAN X	
Persistence and degradability	No available data.

12.3. Bioaccumulative potential

PRO-CLEAN X	
Bioaccumulative potential	No available data.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Other adverse effects

Additional information: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a hazardous or special waste collection point.

Additional information: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials: Avoid release to the environment. Hazardous waste due to toxicity.

European List of Waste (LoW) code: 14 06 03* - other solvents and solvent mixtures.
15 01 10* - packaging containing residues of or contaminated by dangerous substances.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR): UN 1307
UN-No. (IMDG): UN 1307
UN-No. (IATA): UN 1307
UN-No. (ADN): Not applicable.
UN-No. (RID): Not applicable.

14.2. UN proper shipping name

Proper Shipping Name (ADR): XYLENES.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

Proper Shipping Name (IMDG): XYLENES.
Proper Shipping Name (IATA): Xylenes.
Proper Shipping Name (ADN): Not applicable.
Proper Shipping Name (RID): Not applicable.
Transport document description (ADR): UN 1307 XYLENES, 3, III, (D/E).
Transport document description (IMDG): UN 1307 XYLENES, 3, III (23°C c.c.).
Transport document description (IATA): UN 1307 Xylenes, 3, III.

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR): 3
Danger labels (ADR): 3



IMDG

Transport hazard class(es) (IMDG): 3
Danger labels (IMDG): 3



IATA

Transport hazard class(es) (IATA): 3
Danger labels (IATA): 3



ADN

Transport hazard class(es) (ADN): Not applicable.

RID

Transport hazard class(es) (RID): Not applicable.

14.4. Packing group

Packing group (ADR): III
Packing group (IMDG): III
Packing group (IATA): III
Packing group (ADN): Not applicable.
Packing group (RID): Not applicable.

14.5. Environmental hazards


Dangerous for the environment: No
Marine pollutant: No
Other information: No supplementary information available.

14.6. Special precautions for user

Overland transport

Classification code (ADR): F1
Limited quantities (ADR): 5I

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

Excepted quantities (ADR):	E1
Packing instructions (ADR):	P001, IBC03, LP01, R001
Special packing provisions (ADR):	PP33
Mixed packing provisions (ADR):	MP19
Portable tank and bulk container instructions (ADR):	T2
Portable tank and bulk container special provisions (ADR):	TP1
Tank code (ADR):	LGBF
Vehicle for tank carriage:	FL
Transport category (ADR):	3
Special provisions for carriage - Packages (ADR):	V12
Special provisions for carriage - Operation (ADR):	S2
Hazard identification number (Kemler No.):	30
Orange plates:	
Tunnel restriction code (ADR):	D/E
EAC code	3YE

Transport by sea

Special provisions (IMDG):	223
Limited quantities (IMDG):	5 L
Excepted quantities (IMDG):	E1
Packing instructions (IMDG):	P001, LP01
IBC packing instructions (IMDG):	IBC03
Tank instructions (IMDG):	T2
Tank special provisions (IMDG):	TP1
EmS-No. (Fire):	F-E
EmS-No. (Spillage):	S-D
Stowage category (IMDG):	A
Flash point (IMDG):	23°C to 30°C c.c.
Properties and observations (IMDG):	Colourless liquids. Flashpoint: 23°C to 30°C c.c. Explosive limits: 1.1% to 7% Immiscible with water.

Air transport

PCA Excepted quantities (IATA)	E1
PCA Limited quantities (IATA)	Y344
PCA limited quantity max net quantity (IATA)	10 L
PCA packing instructions (IATA)	355
PCA max net quantity (IATA)	60 L
CAO packing instructions (IATA)	366
CAO max net quantity (IATA)	220 L
Special provisions (IATA)	A3

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

ERG code (IATA) 3 L

Inland waterway transport

Not applicable.

Rail transport

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

REACH Candidate List (SVHC)

Contains no substance on the REACH Candidate List.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer).

VOC Directive (2004/42)

VOC content: 100%.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide.

Germany

Employment restrictions: Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK): WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV): Is not subject of the Hazardous Incident Ordinance (12. BImSchV).

Netherlands

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

SZW-lijst van kankerverwekkende stoffen: None of the components are listed.
SZW-lijst van mutagene stoffen: None of the components are listed.
SZW-lijst van reprotoxische stoffen – Borstvoeding: None of the components are listed.
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid: None of the components are listed.
SZW-lijst van reprotoxische stoffen – Ontwikkeling: None of the components are listed.

Denmark

Class for fire hazard: Class II-1.
Store unit: 5 liter.
Classification remarks: R10 <H226;H304;H312+H332;H315;H319;H335;H373>; Emergency management.
Danish National Regulations: Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product.

Switzerland

Storage class (LK): LK 3 – Flammable liquids.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information: None.

Full text of H- and EUH- statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4.
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4.
Asp. Tox. 1	Aspiration hazard, Category 1.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Flam. Liq. 3	Flammable liquids, Category 3.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 01/05/2023 Revision date: - Supersedes version: -

H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2.
STOT RE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage caused to the buyer, applicator or any third party as a result of using our product. Such buyers, applicators and end users assume all risks associated with the use of our product.