SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Mixture

Product name: PRO-EPOX 101 Comp. A

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec: Industrial - For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NAVIC

27B1, Polidefkous St. 185 45 Piraeus Greece

Tel: +30 210 4225 145 www.navic-chemicals.com

1.4. Emergency telephone number

Emergency number: +30 210 7793 777 - (National Poison Helpline)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2: H315
Serious eye damage/eye irritation, Category 2: H319

Skin sensitisation, Category 1: H317

Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):





GHS07 GHS09

Signal word (CLP): Warning

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -

Contains: 2 ,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; oxirane,

mono[(C12-14-alkyloxy)methyl] derivs.

Hazard statements (CLP): H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP): P280 - Wear protective gloves, face protection, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P273 - Avoid release to the environment.

 $P501 - Dispose \ of \ contents \ to \ hazardous \ or \ special \ waste \ collection \ point, \ in accordance \ with \ local, \ regional, \ national \ and/or \ international \ regulation.$

EUH-statements: EUH205 - Contains epoxy constituents. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1%.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|--|
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | CAS-No.: 1675-54-3 EC-No.: 216-823-5 EC Index-No.: 603-073- 00-2 REACH-no: 01- 2119456619-26 | < 100 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | CAS-No.: 68609-97-2 EC-No.: 271-846-8 EC Index-No.: 603-103- 00-4 REACH-no: 01- 2119485289-22 | < 3.5 | Skin Irrit. 2, H315 Skin Sens. 1, H317 |
| 2,6-di-tert-butyl-p-cresol | CAS-No.: 128-37-0 | < 0.5 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

SAFETY DATA SHEET



In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -

| Specific concentration limits: | | |
|---|---|---|
| Name | Product identifier | Specific concentration limits |
| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane | CAS-No.: 1675-54-3 EC-No.: 216-823-5 EC Index-No.: 603-073-00-2 REACH-no: 01-2119456619-26 | (5 ≤C ≤ 100) Skin Irrit. 2, H315 (5 ≤C ≤ 100) Eye Irrit. 2, H319 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation: Allow affected person to breathe fresh air. Allow the victim to rest

First-aid measures after skin contact: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation: May cause an allergic skin reaction.

Symptoms/effects after skin contact: Causes skin irritation.

Symptoms/effects after eye contact: Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical

fire. Prevent fire fighting water from entering the environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour. Avoid breathing vapours.

Hygiene measures: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of

the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep only in the original container in a cool, well ventilated place away from excessive heat and

humidity. Keep container closed when not in use.

Incompatible products: None known.

Incompatible materials: Direct sunlight. Extremely high or low temperatures.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment symbol(s):

Avoid all unnecessary exposure.





8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing. Personal protective equipment for the body and

appropriate footwear should be selected depending on the task being performed and

possible exposure.

Hand protection: Suitable materials for safety gloves (EN 374): Butyl rubber, Nitrile rubber, neoprene

rubber. For prolonged or repeated exposure, gloves of class 5 or higher are recommended (breakthrough time>240min according to EN374). For short time use, gloves of class 3 or higher are recommended (breakthrough time>60min according to EN374). The thickness of gloves should be >0.35mm in order to provide adequate

protection for prolonged contact with the product.

8.2.2.3. Respiratory protection

Respiratory protection: In case of inadequate ventilation wear respiratory protection. If concentration of one

or more substances present in the product exceeds the exposure limit, use

respiratory protective device (refer to EN 141).

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour Transprent. Odour Characteristic. Odour threshold Not available Melting point Not available Freezing point Not available Not available Boiling point Flammability Non flammable.

Explosive properties Not applicable, product is not explosive.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



Oxidising properties Not applicable, product is not oxidising.

Not available Explosive limits Not available Lower explosion limit Upper explosion limit Not available > 150 °C Flash point Auto-ignition temperature Not available Not available Decomposition temperature Not applicable Viscosity, kinematic > 20.5 mm²/s Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50 °C Not available Not available Density Relative density Not available Not available Relative vapour density at 20 °C Particle characteristics Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content: 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Not classified (Based on available data, the classification criteria are not met)

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



Acute toxicity (dermal): Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation): Not classified (Based on available data, the classification criteria are not met)

| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3) | | |
|---|------------------------|--|
| LD50 oral rat | 15000 mg/kg bodyweight | |
| LD50 dermal rabbit | 23000 mg/kg bodyweight | |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2) | |
|---|------------------------|
| LD50 oral | 26800 mg/kg bodyweight |
| LD50 dermal | 4000 mg/kg bodyweight |

Skin corrosion/irritation: Causes skin irritation. pH: Not applicable.

Serious eye damage/irriation: Causes serious eye irritation. pH: Not applicable.

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified

Additional information: Based on available data, the classification criteria are not met

Carcinogenicity: Not classified

Additional information: Based on available data, the classification criteria are not met

Reproductive toxicity: Not classified

Additional information: Based on available data, the classification criteria are not met

STOT-single exposure: Not classified

Additional information: Based on available data, the classification criteria are not met

STOT-repeated exposure: Not classified

Additional information: Based on available data, the classification criteria are not met

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2) | |
|---|--------------------------|
| NOAEL (oral, rat, 90 days) | 100 mg/kg bodyweight/day |
| NOAEL (dermal, rat/rabbit, 90 days) | 100 mg/kg bodyweight/day |

Aspiration hazard: Not classified

Additional information: Based on available data, the classification criteria are not met

| PRO-EPOX 101 Comp. A | |
|----------------------|--------------|
| Viscosity, kinematic | > 20.5 mm²/s |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available.

11.2.2. Other information

Potential adverse human health effects and symptoms: Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



SECTION 12: Ecological information

12.1. Toxicity

Ecology - water: Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute): Not classified.

Hazardous to the aquatic environment, long-term (chronic): Toxic to aquatic life with long lasting effects.

| 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3) | |
|---|--------------------------------|
| LC50 - Fish [1] | 2 mg/l LC50 96 h - fish [mg/l] |
| EC50 72h - Algae [1] | 11 mg/l |
| NOEC chronic algae | 4.2 mg/l |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2) | |
|---|----------------------------------|
| LC50 - Fish [1] | 100 mg/l LC50 96 h - fish [mg/l] |
| EC50 - Crustacea [1] | 7.2 mg/l |
| EC50 72h - Algae [1] | 844 mg/l |

12.2. Persistence and degradability

| PRO-EPOX 101 Comp. A | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

12.3. Bioaccumulative potential

| PRO-EPOX 101 Comp. A | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

Ecology - waste materials: Avoid release to the environment.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR): UN 3082
UN-No. (IMDG): UN 3082
UN-No. (IATA): UN 3082
UN-No. (ADN): Not regulated
UN-No. (RID): Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) Not regulated
Proper Shipping Name (RID) Not regulated

Transport document description (ADR) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIQUID

EPOXY RESIN, ALIPHATIC GLYCIDYL ETHER), 9, III, (-).

Transport document description (IMDG) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIQUID

EPOXY RESIN, ALIPHATIC GLYCIDYL ETHER), 9, III, MARINE POLLUTANT.

Transport document description (IATA) UN 3082 Environmentally hazardous substance, liquid, n.o.s. (LIQUID EPOXY RESIN,

ALIPHATIC GLYCIDYL ETHER), 9, III.

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR): 9
Danger labels (ADR): 9



IMDG

Transport hazard class(es) (IMDG): Spanger labels (IMDG): Spanger la



IATA

Transport hazard class(es) (IATA): 9
Danger labels (IATA): 9



ADN

Transport hazard class(es) (ADN): Not regulated

RID

Transport hazard class(es) (RID): Not regulated

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -

14.4. Packing group

Packing group (ADR): Ш Packing group (IMDG): Ш Packing group (IATA): Ш

Packing group (ADN): Not regulated Packing group (RID): Not regulated

14.5. Environmental hazards

Dangerous for the environment: Yes Marine pollutant: Yes

Other information: No supplementary information available.

14.6. Special precautions for user

Overland transport

Classification code (ADR) M6

Special provisions (ADR) 274, 335, 375, 601

Limited quantities (ADR) 51 Excepted quantities (ADR) E1

P001, IBC03, LP01, R001 Packing instructions (ADR)

Special packing provisions (ADR) PP1 Mixed packing provisions (ADR) MP19

3 Transport category (ADR) Special provisions for carriage - Packages (ADR) V12

Special provisions for carriage - Loading, unloading and handling (ADR) CV13

90

Hazard identification number (Kemler No.)

EAC code •3Z

Transport by sea

Tunnel restriction code (ADR)

Orange plates

Special provisions (IMDG) 274, 335, 969

Limited quantities (IMDG) 5 L Excepted quantities (IMDG) E1

Packing instructions (IMDG) LP01, P001

PP1 Special packing provisions (IMDG) IBC03 IBC packing instructions (IMDG) F-A EmS-No. (Fire) EmS-No. (Spillage) S-F Stowage category (IMDG) Α

Flash point (IMDG)

Properties and observations (IMDG)

90

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878. Version: 1.0 ENGLISH Issue date: 01/01/2023 Revision date: - Supersedes version: -



Air transport

PCA Excepted quantities (IATA) E1

PCA Limited quantities (IATA)

Y964

PCA limited quantity max net quantity (IATA) 30kgG

PCA packing instructions (IATA) 964

PCA max net quantity (IATA) 450L

CAO packing instructions (IATA) 964

CAO max net quantity (IATA) 450L

Special provisions (IATA) A97, A158, A197, A215

ERG code (IATA) 9L

Inland waterway transport

Not regulated.

Rail transport

Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

REACH Candidate List (SVHC)

Contains no substance on the REACH Candidate List.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer).

VOC Directive (2004/42)

VOC content: 0 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.1.2. National regulations

Germany

Employment restrictions: Observe restrictions according Act on the Protection of Working Mothers

(MuSchG).

Observe restrictions according Act on the Protection of Young People in

Employment (JArbSchG).

Water hazard class (WGK): WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

SAFETY DATA SHEET



Hazardous Incident Ordinance (12. BImSchV): Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen: oxirane, mono[(C12-14-alkyloxy)methyl] derivs. is listed SZW-lijst van mutagene stoffen: oxirane, mono[(C12-14-alkyloxy)methyl] derivs. is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding: None of the components are listed SZW-lijst van reprotoxische stoffen – None of the components are listed

Vruchtbaarheid:

SZW-lijst van reprotoxische stoffen - Ontwikkeling: None of the components are listed

Denmark

Danish National Regulations: Young people below the age of 18 years are not allowed to use the product.

People who have eczema or allergy to epoxy, may not work with the material. The requirements from the Danish Working Environment Authorities regarding work with epoxy resins and isocyanates must be observed during use and disposal.

Switzerland

Storage class (LK): LK 10/12 – Liquids.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information: None.

| Full text of H- and EUH- statements: | |
|--------------------------------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| EUH205 | Contains epoxy constituents. May produce an allergic reaction. |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |

SAFETY DATA SHEET



| Skin Sens. 1 | Skin sensitisation, Category 1 |
|--------------|--------------------------------|
|--------------|--------------------------------|

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage caused to the buyer, applicator or any third party as a result of using our product. Such buyers, applicators and end users assume all risks associated with the use of our product.