

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Mixture
Product name: PRO-FILL 101 Comp. B

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec: Industrial - For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NAVIC

27B1, Polidefkous St.
185 45 Piraeus
Greece.

Tel: +30 210 4225 145
www.navic-chemicals.com

1.4. Emergency telephone number

Emergency number: +30 210 7793 777 - (National Poison Helpline)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1	H314
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



GHS05

GHS07

GHS09

Signal word (CLP): Danger

PRO-FILL 101 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

Contains:	Amides, from C18-unsat. fatty acids dimers, hydrogenated benzaldehyde-diethylenetriamine-triethylenetriamine reaction products, 2-propenenitrile, mreaction products with alkyl amine, hydrogenated, benzyde, polyethyleneamines, hydrogenated, 3-Aminopropyldimethylamine, N,N-dimethyl-1,3-propanediamine, N,N-dimethylpropan-1,3-diamin, 2,4,6-Tris(dimethylaminomethyl)phenol, Bis[(dimethylamino)methyl]phenol, benzyl alcohol, Phenol, polymer with formaldehyde, m-Phenylenebis(methylamine), Polyoxypropylen Diamine, 3-Cyclohexylaminopropylamine.
Hazard statements (CLP):	H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP):	P280 - Wear protective gloves, face protection, eye protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P273 - Avoid release to the environment. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

Component:	
m-Phenylenebis(methylamine)(1477-55-0)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amides, from C18-unsat. fatty acids dimers, hydrogenated benzaldehyde-diethylenetriamine-triethylenetriamine reaction products	CAS-No.: 1277168-16-7	35 – 40	Acute Tox. 4 (Oral), H302
2-propenenitrile, mreaction products with alkyl amine, hydrogenated, benzyde, polyethyleneamines, hydrogenated	CAS-No.: 1173092-74-4 EC-No.: 630-554-4	6 – 8	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38	4 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
3-Aminopropyl dimethylamine, N,N-dimethyl-1,3-propanediamine, N,N-dimethylpropan-1,3-diamin	CAS-No.: 109-55-7 EC-No.: 203-680-9	3 – 3.5	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1, H317
Formaldehyde, polymer with 1,3-benzenedimethanamine and phenol	CAS-No.: 57214-10-5 EC-No.: 500-137-0	1.5 – 2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenol, polymer with formaldehyde	CAS-No.: 9003-35-4 EC-No.: 500-005-2	1.5 – 2	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
m-Phenylenebis(methylamine)	CAS-No.: 1477-55-0 EC-No.: 216-032-5	1.5 – 2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Polyoxypropylen Diamine	CAS-No.: 9046-10-0	1.5 – 2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
2,4,6- Tris(dimethylaminomethyl)phenol	CAS-No.: 90-72-2 EC-No.: 202-013-9	1.2 – 1.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Bis[(dimethylamino)methyl]phenol	CAS-No.: 71074-89-0 EC-No.: 275-162-0	0.5 – 1	Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1, H317
3-Cyclohexylaminopropylamine	CAS-No.: 3312-60-5 EC-No.: 222-001-7	0.5 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation:	Allow affected person to breathe fresh air. Allow the victim to rest
First-aid measures after skin contact:	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse.
First-aid measures after eye contact:	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation:	May cause an allergic skin reaction.
Symptoms/effects after ingestion:	Swallowing a small quantity of this material will result in serious health hazard.

PRO-FILL 101 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep only in the original container in a cool, well ventilated place away from excessive heat and humidity. Keep container closed when not in use.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

benzyl alcohol (100-51-6)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	40 mg/kg bodyweight/day
Acute - systemic effects, inhalation	110 mg/m ³
Long-term - systemic effects, dermal	8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	22 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	20 mg/kg bodyweight
Acute - systemic effects, inhalation	27 mg/m ³
Acute - systemic effects, oral	20 mg/kg bodyweight
Long-term - systemic effects, oral	4 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	5.4 mg/m ³
Long-term - systemic effects, dermal	4 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	1 – 1.02 mg/l
PNEC aqua (marine water)	100 – 102 µg/L
PNEC aqua (intermittent, freshwater)	2.3 mg/l

PRO-FILL 101 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

PNEC (Sediment)	
PNEC sediment (freshwater)	5.27 mg/kg dwt
PNEC sediment (marine water)	527 µg/kg dw
PNEC (Soil)	
PNEC soil	456 µg/kg dw
PNEC (STP)	
PNEC sewage treatment plant	39 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment symbol(s):

Avoid all unnecessary exposure.



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Red
Odour	Characteristic
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.

PRO-FILL 101 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

Explosive properties	Not applicable, product is not explosive.
Oxidising properties	Not applicable, product is not oxidising.
Explosive limits	Not available
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	> 65 °C
Auto-ignition temperature	Not available
Decomposition temperature	Not available
pH	Not applicable
Viscosity, kinematic	> 20.5 mm ² /s
Solubility	Not available
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	Not available
Relative density	Not available
Relative vapour density at 20 °C	Not available
Particle characteristics	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Harmful if swallowed
Acute toxicity (dermal): Not classified
Acute toxicity (inhalation): Not classified

PRO-FILL 101 Comp. B	
ATE CLP (oral)	797.83 mg/kg bodyweight

benzyl alcohol (100-51-6)	
LD50 oral rat	1620 mg/kg bodyweight

Skin corrosion/irritation: Causes severe skin burns. pH: Not applicable.
Additional information: Based on available data, the classification criteria are not met.
Serious eye damage/irritation: Assumed to cause serious eye damage. pH: Not applicable.
Additional information: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation: May cause an allergic skin reaction.
Germ cell mutagenicity: Not classified
Additional information: Based on available data, the classification criteria are not met
Carcinogenicity: Not classified
Additional information: Based on available data, the classification criteria are not met
Reproductive toxicity: Not classified
Additional information: Based on available data, the classification criteria are not met
STOT-single exposure: Not classified
Additional information: Based on available data, the classification criteria are not met
STOT-repeated exposure: Not classified
Additional information: Based on available data, the classification criteria are not met

benzyl alcohol (100-51-6)	
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight/day

Aspiration hazard: Not classified
Additional information: Based on available data, the classification criteria are not met

PRO-FILL 101 Comp. B	
Viscosity, kinematic	> 20.5 mm ² /s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2. Other information

Potential adverse human health effects and symptoms: Harmful if swallowed.

PRO-FILL 101 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute): Not classified.
Hazardous to the aquatic environment, long-term (chronic): Toxic to aquatic life with long lasting effects.

benzyl alcohol (100-51-6)

LC50 - Fish [1]	460 mg/l LC50 96h fish
EC50 72h - Algae [1]	770 mg/l

12.2. Persistence and degradability

PRO-FILL 101 Comp. B

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

PRO-FILL 101 Comp. B

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR): UN 2735
UN-No. (IMDG): UN 2735
UN-No. (IATA): UN 2735
UN-No. (ADN): Not regulated
UN-No. (RID): Not regulated

PRO-FILL 101 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

14.2. UN proper shipping name

Proper Shipping Name (ADR)	AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG)	AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	Amines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN)	Not regulated
Proper Shipping Name (RID)	Not regulated
Transport document description (ADR)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Amides reaction product), 8, II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Amides reaction product), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	UN 2735 Amines, liquid, corrosive, n.o.s. (Amides reaction product), 8, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR): 8
Danger labels (ADR): 8



IMDG

Transport hazard class(es) (IMDG): 8
Danger labels (IMDG): 8



IATA

Transport hazard class(es) (IATA): 8
Danger labels (IATA): 8



ADN

Transport hazard class(es) (ADN): Not regulated

RID

Transport hazard class(es) (RID): Not regulated

14.4. Packing group

Packing group (ADR):	II
Packing group (IMDG):	II
Packing group (IATA):	II
Packing group (ADN):	Not regulated
Packing group (RID):	Not regulated

14.5. Environmental hazards

Dangerous for the environment:	Yes
Marine pollutant:	Yes
Other information:	No supplementary information available

PRO-FILL 101 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

14.6. Special precautions for user

Overland transport

Classification code (ADR)	C7
Special provisions (ADR)	274
Limited quantities (ADR)	1I
Excepted quantities (ADR)	E2
Packing instructions (ADR)	P001, IBC02
Mixed packing provisions (ADR)	MP15
Transport category (ADR)	2
Hazard identification number (Kemler No.)	80
Orange plates	



Tunnel restriction code (ADR)	E
EAC code	2X

Transport by sea

Special provisions (IMDG)	274
Limited quantities (IMDG)	1 L
Excepted quantities (IMDG)	E2
Packing instructions (IMDG)	P001
IBC packing instructions (IMDG)	IBC02
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-B
Stowage category (IMDG)	A
Segregation (IMDG)	SGG18, SG35
Flash point (IMDG)	
Properties and observations (IMDG)	

Air transport

PCA Excepted quantities (IATA)	E2
PCA Limited quantities (IATA)	Y840
PCA limited quantity max net quantity (IATA)	0.5L
PCA packing instructions (IATA)	851
PCA max net quantity (IATA)	1L
CAO packing instructions (IATA)	855
CAO max net quantity (IATA)	30L
Special provisions (IATA)	A3, A803
ERG code (IATA)	8L

Inland waterway transport

Not regulated

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

Employment restrictions	Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK)	WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
List of sensitizing substances (TRGS 907)	Contains sensitizing substances according TRGS 907.
Hazardous Incident Ordinance (12. BImSchV)	Is not subject of the Hazardous Incident Ordinance (12. BImSchV).

Netherlands

SZW-lijst van kankerverwekkende stoffen	Bis[(dimethylamino)methyl]phenol is listed
SZW-lijst van mutagene stoffen	None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	None of the components are listed

Denmark

Classification remarks	Emergency management guidelines for the storage of flammable liquids must be followed.
------------------------	--

PRO-FILL 101 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH Issue date: 20/6/2022 Revision date: - Supersedes version: -

Danish National Regulations

Young people below the age of 18 years are not allowed to use the product.
Pregnant/breastfeeding women working with the product must not be in direct contact with the product.

Switzerland

Storage class (LK)

LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information: None.

Full text of H- and EUH- statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH205	Contains epoxy constituents. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage caused to the buyer, applicator or any third party as a result of using our product. Such buyers, applicators and end users assume all risks associated with the use of our product.