

PRO-FILL 201 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -



Supersedes version: -

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Product form: Mixture
Product name: PRO-FILL 201 Comp. B
UFI: Q110-A0J4-100M-SWH3

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec: Industrial - For professional use only.

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

NAVIC

27B1, Polidefkous St.
185 45 Piraeus
Greece.

Tel: +30 210 4225 145
www.navic-chemicals.com

1.4. Emergency telephone number

Emergency number: +30 210 7793 777 - (National Poison Helpline, GREECE)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1	H314
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



PRO-FILL 201 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

GHS05 GHS07 GHS09

Signal word (CLP):	Danger.
Contains:	benzyl alcohol, Phenol, polymer with formaldehyde, m-Phenylenebis(methylamine), Polyoxypropylen Diamine, 3-Cyclohexylaminopropylamine.
Hazard statements (CLP):	H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP):	P280 - Wear protective gloves, face protection, eye protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38	< 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
Formaldehyde, polymer with 1,3-benzenedimethanamine and phenol	CAS-No.: 57214-10-5 EC-No.: 500-137-0	< 10	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenol, polymer with formaldehyde	CAS-No.: 9003-35-4 EC-No.: 500-005-2	< 10	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
m-Phenylenebis(methylamine)	CAS-No.: 1477-55-0 EC-No.: 216-032-5	< 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

PRO-FILL 201 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -



Supersedes version: -

Polyoxypropylen Diamine	CAS-No.: 9046-10-0 EC-No.: 618-561-0	< 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
3-Cyclohexylaminopropylamine	CAS-No.: 3312-60-5 EC-No.: 222-001-7	< 3.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation:	Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact:	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact:	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation:	May cause an allergic skin reaction.
Symptoms/effects after ingestion:	Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available.

5.3. Advice for firefighters

Firefighting instructions:	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting:	Do not enter fire area without proper protective equipment, including respiratory protection.

PRO-FILL 201 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -



Supersedes version: -

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours.

Hygiene measures: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep only in the original container in a cool, well ventilated place away from: Extremely high or low temperatures. Keep container closed when not in use.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available.

8.1.2. Recommended monitoring procedures

No additional information available.

PRO-FILL 201 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -



Supersedes version: -

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

No additional information available.

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses.

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask.

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Viscous paste.
Colour:	Yellowish.
Odour:	Characteristic.
Odour threshold:	Not available.
pH:	Not applicable.
Relative evaporation rate (butylacetate=1):	Not applicable.
Melting point:	Not available.
Freezing point:	Not available.
Boiling point:	Not available.
Flash point:	> 65 °C.

PRO-FILL 201 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Flammability (solid, gas):	Non-flammable.
Vapour pressure:	Not available.
Relative vapour density at 20 °C:	Not available.
Relative density:	Not available.
Solubility:	Not available.
Partition coefficient n-octanol/water (Log Kow):	Not available.
Viscosity, kinematic:	> 20.5 mm ² /s.
Viscosity, dynamic:	No data available.
Explosive properties:	Not applicable, product is not explosive.
Oxidising properties:	Not applicable, product is not oxidising.
Explosive limits:	Not available.

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral):	Harmful if swallowed.
Acute toxicity (dermal):	Not classified (Based on available data, the classification criteria are not met).
Acute toxicity (inhalation):	Not classified (Based on available data, the classification criteria are not met).

PRO-FILL 201 Comp. B

ATE CLP (oral)	782,473 mg/kg bodyweight
----------------	--------------------------

PRO-FILL 201 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

benzyl alcohol (100-51-6)	
LD50 oral rat	1,620 mg/kg bodyweight
LD50 oral	1,580 mg/kg bodyweight Animal: mouse Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1,410 – 1,770
LD50 dermal rat	2,000 mg/kg
LD50 dermal rabbit	> 2,000 mg/kg bodyweight Animal: rabbit Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 4,178 mg/l air Animal: rat Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Vapours)	> 4,178 mg/l

Phenol, polymer with formaldehyde (9003-35-4)	
LD50 oral rat	> 5,000 mg/kg
LD50 dermal rat	> 2,000 mg/kg bodyweight Animal: rat Guideline: other
LC50 Inhalation - Rat	> 5 mg/l air Animal: rat Guideline: other

Polyoxypropylen Diamine (9046-10-0)	
LD50 oral rat	242 mg/kg. Source: National Library of Medicine.
LD50 dermal rabbit	360 mg/kg. Source: National Library of Medicine.

3-Cyclohexylaminopropylamine (3312-60-5)	
LD50 oral rat	200-237 mg/kg. Source: ECHA.
LD50 dermal rabbit	632-2,000 mg/kg. Source: ECHA.

Skin corrosion/irritation: Causes severe skin burns.

pH: Not applicable.

Additional information: Based on available data, the classification criteria are not met.

Polyoxypropylen Diamine (9046-10-0)	
pH	12.3

Serious eye damage/irritation: Assumed to cause serious eye damage.

pH: Not applicable.

Additional information: Based on available data, the classification criteria are not met.

PRO-FILL 201 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

Polyoxypropylen Diamine (9046-10-0)

pH	12.3
----	------

Respiratory or skin sensitisation: May cause an allergic skin reaction.
Germ cell mutagenicity: Not classified .
Additional information: Based on available data, the classification criteria are not met.
Carcinogenicity: Not classified.
Additional information: Based on available data, the classification criteria are not met.
Reproductive toxicity: Not classified.
Additional information: Based on available data, the classification criteria are not met.
STOT-single exposure: Not classified.
Additional information: Based on available data, the classification criteria are not met.
STOT-repeated exposure: Not classified.
Additional information: Based on available data, the classification criteria are not met.

benzyl alcohol (100-51-6)

NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight/day
----------------------------	--------------------------

Phenol, polymer with formaldehyde (9003-35-4)

NOAEL (oral, rat, 90 days)	1,000 mg/kg bodyweight Animal: rat Guideline: other.
----------------------------	--

Aspiration hazard: Not classified.
Additional information: Based on available data, the classification criteria are not met.

PRO-FILL 201 Comp. B

Viscosity, kinematic	> 20.5 mm ² /s
----------------------	---------------------------

benzyl alcohol (100-51-6)

Viscosity, kinematic	4,851 mm ² /s
----------------------	--------------------------

Potential adverse human health effects and symptoms: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water:	Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute):	Not classified.
Hazardous to the aquatic environment, long-term (chronic):	Toxic to aquatic life with long lasting effects.

PRO-FILL 201 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l LC50 96h fish
EC50 - Crustacea [1]	230 mg/l. Test organisms (species): Daphnia magna.
EC50 72h - Algae [1]	770 mg/l
EC50 72h - Algae [2]	500 mg/l. Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum).
EC50 96h - Algae [1]	76,828 mg/l. Test organisms (species): other.
NOEC chronic fish	48,897 mg/l. Test organisms (species): other: Duration: '30 d'.

Polyoxypropylen Diamine (9046-10-0)	
EC50 - Crustacea [1]	80 mg/l Test organisms (species): Daphnia magna.
EC50 72h - Algae [1]	15 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum).
EC50 72h - Algae [2]	2.1 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum).

3-Cyclohexylaminopropylamine (3312-60-5)	
LC50 - Fish [1]	76.469 mg/l Source: ECOSAR.
EC50 - Crustacea [1]	17.1 mg/l Source: ECHA.
EC50 72h - Algae [1]	3.63 mg/l Source: ECHA.
EC50 72h - Algae [2]	3.63 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum).

12.2. Persistence and degradability

PRO-FILL 201 Comp. B	
Persistence and degradability	May cause long-term adverse effects in the environment.

benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly degradable.

Formaldehyde, polymer with 1,3-benzenedimethanamine and phenol (57214-10-5)	
Persistence and degradability	Rapidly degradable.

Phenol, polymer with formaldehyde (9003-35-4)	
Persistence and degradability	Rapidly degradable.

PRO-FILL 201 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

m-Phenylenebis(methylamine) (1477-55-0)	
Persistence and degradability	Rapidly degradable.

Polyoxypropylen Diamiine (9046-10-0)	
Persistence and degradability	Rapidly degradable.

3-Cyclohexylaminopropylamine (3312-60-5)	
Persistence and degradability	Rapidly degradable.

12.3. Bioaccumulative potential

PRO-FILL 201 Comp. B	
Bioaccumulative potential	Not established.

benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1

3-Cyclohexylaminopropylamine (3312-60-5)	
Partition coefficient n-octanol/water (Log Pow)	0.73 Source: ECHA.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Endocrine disrupting properties

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID.

14.1. UN number or ID number

UN-No. (ADR): UN 2735

UN-No. (IMDG): UN 2735

PRO-FILL 201 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

UN-No. (IATA): UN 2735
UN-No. (ADN): Not regulated
UN-No. (RID): Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR)	AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG)	AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	Amines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN)	Not regulated
Proper Shipping Name (RID)	Not regulated
Transport document description (ADR)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-Phenylenebis(methylamine)), 8, II, (E), ENVIRONMENTALLY HAZARDOUS.
Transport document description (IMDG)	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-Phenylenebis(methylamine)), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS.
Transport document description (IATA)	UN 2735 Amines, liquid, corrosive, n.o.s. (m-Phenylenebis(methylamine)), 8, II, ENVIRONMENTALLY HAZARDOUS.

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR): 8
Danger labels (ADR): 8



IMDG

Transport hazard class(es) (IMDG): 8
Danger labels (IMDG): 8



IATA

Transport hazard class(es) (IATA): 8
Danger labels (IATA): 8



ADN

Transport hazard class(es) (ADN): Not regulated

RID

Transport hazard class(es) (RID): Not regulated

14.4. Packing group

Packing group (ADR):	II
Packing group (IMDG):	II
Packing group (IATA):	II
Packing group (ADN):	Not regulated
Packing group (RID):	Not regulated

14.5. Environmental hazards

Dangerous for the environment: Yes.

PRO-FILL 201 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

Marine pollutant: Yes.
Other information: No supplementary information available.

14.6. Special precautions for user

Overland transport

Classification code (ADR): C7
Special provisions (ADR): 274
Limited quantities (ADR): 1 L
Excepted quantities (ADR): E2
Packing instructions (ADR): P001, IBC02
Mixed packing provisions (ADR): MP15
Transport category (ADR): 2
Hazard identification number (Kemler No.): 80
Orange plates:



Tunnel restriction code (ADR): E

Transport by sea

Special provisions (IMDG): 274
Limited quantities (IMDG): 1 L
Excepted quantities (IMDG): E2
Packing instructions (IMDG): P001
IBC packing instructions (IMDG): IBC02
EmS-No. (Fire): F-A
EmS-No. (Spillage): S-B
Stowage category (IMDG): A
Segregation (IMDG): SGG18, SG35
Flash point (IMDG):
Properties and observations (IMDG):

Air transport

PCA Excepted quantities (IATA): E2
PCA Limited quantities (IATA): Y840
PCA limited quantity max net quantity (IATA): 0.5 L
PCA packing instructions (IATA): 851
PCA max net quantity (IATA): 1 L
CAO packing instructions (IATA): 855
CAO max net quantity (IATA): 30 L
Special provisions (IATA): A3, A803
ERG code (IATA) 8 L

Inland waterway transport

Not regulated.

Rail transport

PRO-FILL 201 Comp. B

SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -



Supersedes version: -

Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer).

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information: None.

Full text of H- and EUH- statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1

PRO-FILL 201 Comp. B



SAFETY DATA SHEET

In accordance to REACH Regulation (EC) 1907/2006 as amended by (EU) 2020/878.
Version: 1.0 ENGLISH/EU Issue date: 01/01/2023 Revision date: -

Supersedes version: -

Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU.
Region, EU.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage caused to the buyer, applicator or any third party as a result of using our product. Such buyers, applicators and end users assume all risks associated with the use of our product.